


ALUMINUM WELDMENT CONNECTORS

DOUBLE CABLE TO FLAT PAD

SECTION

18-10



ALUMINUM WELDMENT CONNECTORS DOUBLE CABLE TO FLAT PAD						
CATALOG NUMBER	CABLE SIZE		PAD STYLE	A	DIMENSIONS IN INCHES	
	AAC	ACSR			B	C
18-725	1/0	1/0	B	3 3/4	3/4	3/8
18-726	1/0	1/0	C	3 3/4	3/4	3/8
18-727	1/0	1/0	D	4 3/4	3/4	3/8
18-728	2/0	2/0	B	3 3/4	3/4	3/8
18-729	2/0	2/0	C	3 3/4	3/4	3/8
18-730	2/0	2/0	D	4 3/4	3/4	3/8
18-731	3/0	3/0	B	4	1	3/8
18-732	3/0	3/0	C	4	1	3/8
18-733	3/0	3/0	D	5	1	3/8
18-734	4/0	4/0	B	4	1	3/8
18-735	4/0	4/0	C	4	1	3/8
18-736	4/0	4/0	D	5	1	3/8
18-737	266.8	266.8	B	4	1	3/8
18-738	266.8	266.8	C	4	1	3/8
18-739	266.8	266.8	D	5	1	3/8
18-740	336.4	336.4	B	4 1/4	1 1/4	3/8
18-741	336.4	336.4	C	4 1/4	1 1/4	3/8
18-742	336.4	336.4	D	5 1/4	1 1/4	3/8
18-743	397.5	336.4	B	4 1/4	1 1/4	3/8
18-744	397.5	336.4	C	4 1/4	1 1/4	3/8
18-745	397.5	336.4	D	5 1/4	1 1/4	3/8
18-746	477	397.5	B	5	1 1/4	7/16
18-747	477	397.5	C	5	1 1/2	7/16
18-748	477	397.5	D	6	1 1/4	7/16
18-749	556.5	477	B	4 1/2	1 1/2	7/16
18-750	556.5	477	C	4 1/2	1 1/2	7/16
18-751	556.5	477	D	5 1/2	1 1/2	7/16
18-752	636	556.5	B	4 1/2	1 1/2	7/16
18-753	636	556.5	C	4 1/2	1 1/2	7/16
18-754	636	556.5	D	5 1/2	1 1/2	7/16
18-755	715.5	605	B	4 1/2	1 1/2	7/16
18-756	715.5	605	C	4 1/2	1 1/2	7/16
18-757	715.5	605	D	5 1/2	1 1/2	7/16
18-758	795	636	B	5	1 1/2	7/16
18-759	795	636	C	5	1 1/2	7/16
18-760	795	636	D	6	1 1/2	7/16
18-761	954	795	B	5	1 3/4	1/2
18-762	954	795	C	5	1 1/2	1/2
18-763	954	795	D	6 1/2	2	1/2
18-764	1033.5	954 45/7	B	4 3/4	1 3/4	1/2
18-765	1033.5	954 45/7	C	4 3/4	1 3/4	1/2
18-766	1033.5	954 45/7	D	5 3/4	1 3/4	1/2
18-767	1113	954 54/7	B	4 3/4	1 3/4	1/2
18-768	1113	954 54/7	C	4 3/4	1 3/4	1/2
18-769	1113	954 54/7	D	5 3/4	1 3/4	1/2
18-770	1192.5	1033.5	B	5	2	1/2
18-771	1192.5	1033.5	C	5	2	1/2
18-772	1192.5	1033.5	D	6	2	1/2
18-773	1272	1113	B	5 1/2	2	1/2
18-774	1272	1113	C	5 1/2	2	1/2
18-775	1272	1113	D	6 1/2	2	1/2
18-776	1351.5	1272 45/7	B	5	2	9/16
18-777	1351.5	1272 45/7	C	5	2	9/16
18-778	1351.5	1272 45/7	D	6	2	9/16
18-779	1431	1272 54/19	B	5	2	9/16
18-780	1431	1272 54/19	C	5	2	9/16
18-781	1431	1272 54/19	D	6	2	9/16
18-782	1510.5	1351.3	B	5 1/2	2 1/2	9/16
18-783	1510.5	1351.3	C	5 1/2	2 1/2	9/16
18-784	1510.5	1351.3	D	6 1/2	2 1/2	9/16
18-785	1590	1351.5	B	6 1/4	2 1/2	9/16
18-786	1590	1351.5	C	6 1/4	2 1/2	9/16
18-787	1590	1351.5	D	7 1/4	2 3/4	9/16

Featuring two-cable termination, the Type WCP2 cast of a lightweight, corrosion resistant aluminum alloy makes an economical and reliable connection.

Side-formed NEMA pads are standard.

Any special tongue features will be readily provided if designated by the addition of a suffix to the catalog number. For example, a 45½ tongue for catalog number 18-725 should be ordered as 18-725-45.

